





RE049



RE050

	RE049	RE050
	X1	X1
	X1	X1
	X2	X2
	X1	X1
	X4	X4
 IT GB FR DE ES Istruzioni di montaggio Mounting instructions Instructions de montage Montageanweisungen Instrucciones de montaje	X1	X1



IT | Diagramma di flusso
GB | Flow rate
FR | Le débit
DE | Flussdiagramm
ES | Diagrama de caudal



IT | Indossare protezioni
GB | Wear protection
FR | Porter une protection
DE | Schütze anziehen
ES | Usar protección

X2



IT | Si consiglia di operare insieme ad un'altra persona
GB | We recommend to work with another person
FR | Il est fortement recommandé de travailler avec une autre personne.
DE | Wir empfehlen mit einer anderen Person zu arbeiten
ES | Recomendamos trabajar en conjunto con otra persona



IT | Pressione d'uso
GB | Operating pressure
FR | Pression d'utilisation
DE | Betriebsdruck
ES | Presión de uso

°C




IT | Temperatura dell'acqua
GB | Water temperature
FR | Température de l'eau
DE | Wassertemperatur
ES | Temperatura del agua



IT | Caratteristiche idrauliche
GB | Plumbing specifications
FR | Caractéristiques hydrauliques
DE | Hydraulische Eigenschaften
ES | Características hidráulicas

RE049




IT Portata l/min. pioggia
 GB l/min. rain flow
 FR Débit l/min. pluie
 DE l/min. Regenfluss
 ES Caudal l/min. lluvia



MIN 1 Bar
 MAX 5 Bar
 BEST 3 Bar




MAX 70° C
 BEST 38°/40° C



Pressione Dinamica (bar) / Portata (Litri/min)										
Bar	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4	4,5	5
Portata (l/min)	6,8	10,8	12,3	12,4	12,7	12,9	13	13,2	13,4	13,7

RE050




IT Portata l/min. pioggia
 GB l/min. rain flow
 FR Débit l/min. pluie
 DE l/min. Regenfluss
 ES Caudal l/min. lluvia








MIN 1 Bar
 MAX 5 Bar
 BEST 3 Bar




MAX 70° C
 BEST 38°/40° C




Pressione Dinamica (bar) / Portata (Litri/min)										
Bar	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4	4,5	5
Portata (l/min)	8,4	11,4	12,4	12,3	12,3	12,7	13,3	13,8	13,9	14




6




7









8



Cleaning




Suggerimenti per la pulizia
Cleaning Tips
Conseils de nettoyage
Reinigung Tipps
Consejos de limpieza



Optional

Kit di sicurezza per controsoffittature non portanti
Kit de sécurité pour les faux-plafonds pas auto-portants
Sicherheitskit für nicht tragende zwischendecke
Security kit for non-bearing false ceiling
Kit de seguridad para encastrar a techo sin apoyo





CLEANING - PULIZIA - NETTOYAGE - REINIGUNG - LIMPIEZA

Finish		✓			✗	
BS Brushed Steel 316 stainless steel		 WATER	 LIQUID SOAP	 SMOOTH CLOTH	 ACID/ABRASIVE DETERGENT	 ABRASIVE SPONGE
		✓	✓	✓	✗	✗
BB Brushed Black PVD finish on stainless steel		 WATER	 LIQUID SOAP	 SMOOTH CLOTH	 ACID/ABRASIVE DETERGENT	 ABRASIVE SPONGE
		✓	✓	✓	✗	✗
BC Brushed Copper PVD finish on stainless steel		 WATER	 LIQUID SOAP	 SMOOTH CLOTH	 ACID/ABRASIVE DETERGENT	 ABRASIVE SPONGE
		✓	✓	✓	✗	✗

AMPHORA
WATER SOURCE

Via dello Statuario 15
I-55045 Pietrasanta - Italy
info@amphoradesign.it